## MAINTENANCE CHECKLIST



This checklist covers some basic, necessary maintenance items for most homes. It is by no means all-inclusive. Some items may not be applicable for the type of home and home features you have. For full details, please consult all guides, warranties, and literature provided by Del Webb®, as well as the specific warranties and manuals for your home's various appliances.

Check or write the date of the month of each maintenance item below. Remember to use a pencil so that this list may be used again or photocopied.

MONTHLY (on or around the first day of the month)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC
Test and clean/dust smoke and carbon monoxide detectors												
Test GFCI/GFI receptacle/breaker and outlets												
Replace/clean heating, ventilation, air conditioning (HVAC) air return filters												
Check grout/caulking in tile and marble in wet areas (showers, sinks, etc.); repair as needed												
QUARTERLY (on or around the first day of January, April, July, and Octobe	er)								JAN	APR	JUL	ост
												•••
Check range hood charcoal filter; replace/clean as necessary; repair as need												
	ded	repair	as ne	eded								
Check range hood charcoal filter; replace/clean as necessary; repair as need	ded faces;				ntain ai	r tight	ness					
<ul> <li>Check range hood charcoal filter; replace/clean as necessary; repair as need</li> <li>Check caulk seals between countertops and walls and on any laminated sur</li> </ul>	ded faces; on exte	erior d	oors t	o mair								
<ul> <li>Check range hood charcoal filter; replace/clean as necessary; repair as need.</li> <li>Check caulk seals between countertops and walls and on any laminated surf.</li> <li>Check, and adjust as necessary, thresholds, door sweeps, and weatherstripping of the countertops.</li> </ul>	ded faces; on exte	erior d	oors t	o mair								
<ul> <li>Check range hood charcoal filter; replace/clean as necessary; repair as need.</li> <li>Check caulk seals between countertops and walls and on any laminated surf.</li> <li>Check, and adjust as necessary, thresholds, door sweeps, and weatherstripping.</li> <li>Oil all moving parts and tighten nuts and bolts on garage door(s) and tracks; compared to the content of the cont</li></ul>	ded faces; on exte	erior d	oors t	o mair								

## PERFORM ALL MONTHLY AND QUARTERLY MAINTENANCE IN ADDITION TO THE FOLLOWING (WHERE APPLICABLE):

SPRING AND FALL MAINTENANCE (on or around the first day of April and October)	APR	ост
Clean gutters, downspouts, and roof eaves to remove leaves and debris		
Check connection between dryer and vent exhaust; repair as needed		
• Check washing machine hoses and connections for cracks and leaks; repair or replace as necessary per manufacturer		
• Have an HVAC professional inspect and calibrate your heating and cooling system (start of heating and cooling season)		
Vacuum/clean window and sliding door tracks; lubricate with silicone spray		
• Assess all exterior paint and caulk; check exterior caulk seals around windows, doors, etc.; repair as needed		
• Drain and flush out hot water heater and verify that pressure relief valve is working (carefully follow manufacturer's instructions)		
<ul> <li>Inspect and maintain the flow of all swales, and culvert and drainage inlets and outlets</li> </ul>		
• Verify no standing water in crawl spaces, all insulation is intact, and heating/cooling supply lines are secure		
• Before the first freeze, disconnect exterior hoses and devices from hose bibs; if possible, shut off water to bib and drain		
• Inspect foundation as directed by Del Webb® Customer Care Team		
Verify sprinkler system is functioning properly and adjust/repair as needed		
• Flush out the sprinkler system in spring; prior to winter, flush out and drain the sprinkler system		
SUMMER (on or around the first day of July)		JUL
Verify HVAC condensate drain is flowing freely while air conditioning is running		
• Verify the float switch or overflow pan on a second-floor air handling unit is clear of obstructions and functioning properly		
Verify main water cutoff valve is accessible and functioning properly		
Have professional chimney sweep inspect and clean fireplace flue/chimney; check caulk around fireplace facing and repair as needed		
• Apply water-seal treatment to all outdoor exposed wood (power-washing wood first may be necessary)		
Inspect roof for loose or missing shingles or flashing		
Clear/clean weep holes in brick siding		
Service septic system		
WINTER (on or around the first day of January)		JAN
Remove ice buildup, snow, or any debris from roof when needed to prevent leaking		
• During extreme cold, leave indoor faucets located on exterior walls dripping to prevent pipe freezing		

## MAINTENANCE NOTES

DelWebb.com